

## 65 TON KNUCKLE BOOM CRANE FOR SALE - MACHINE IMMEDIATELY AVAILABLE



### GENERAL SPECIFICATIONS:

- 65 TON KNUCKLE BOOM CRANE FOR SALE
- DRIVE SYSTEM: ELECTRO – HYDRAULIC
- POWER SUPPLY: 440V / 60Hz / 500 kW
- OVERTURNING MOMENT: 48,000 kNm
- MAIN HOIST ONBOARD LIFT: 65 mt @ 23 m
- MAIN HOIST OFFBOARD LIFT (Hsig = 2,0 m): 65 mt @ 16 m
- MIN. RADIUS: 8 m
- MAX. RADIUS: 45 m
- MAX. LIFTING HEIGHT ABOVE SLEW BEARING: 42 m
- HOOK TRAVEL: 70 m (4 FALLS)
- MANRIDING FUNCTION
- SLEWING RANGE: 360 DEGREES UNLIMITED

### DIMENSIONS AND WEIGHT:

- TAIL SWING: 5,5 m
- CRANE WEIGHT: 180 mt
- 2 M PEDESTAL ADAPTER: 15 mt


- PEDESTAL DIAMETER: 3,5 m

SPECIAL FEATURES:

- CONSTANT TENSIONING FOR EASY SUPPLY BOAT LIFTS

PRICE ON REQUEST

# Images



## Images links

<https://www.offshore-crane.com/wp-content/uploads/2015/12/65-TON-KNUCKLEBOOM-CRANE.jpg>

[https://www.offshore-crane.com/wp-content/uploads/2015/12/65-ton-knuckleboom-crane-for-sale\\_Ga-drawing-Load-chart-1024x716.jpg](https://www.offshore-crane.com/wp-content/uploads/2015/12/65-ton-knuckleboom-crane-for-sale_Ga-drawing-Load-chart-1024x716.jpg)

Equipment details believed correct but not guaranteed.

All equipment is offered subject to prior sales.

Basic terms of sale is that the equipment is to be sold as seen, no warranty provision.  
Transfer of Ownership on receipt of full payment.

Please advise if interested and we will organise an on-site inspection of the equipment offered.